



2 Frederick St, London,
England, United Kingdom

Call : +44 7887 537632
WA : +44 7379 163920


Mail : info@stonefooting.co.uk

+44 7887 537632
stonefooting.co.uk



OUTDOOR PORCELAIN PAVERS

20MM THICKNESS





+44 7887 537632
stonefooting.co.uk

Available Sizes :



600x
1200mm



600x
900mm



450x
900mm



600x
600mm



300x
600mm



300x
300mm

To produce great tiles, we have to have great infrastructure. As such, it frames the base of our entire unit of production. So we make sure that we house only the best of the elements and resources, so that we can deliver what we promise, and that is peerless products. Our entire infrastructure set up is designed considering the convenience of the workers and also protection of the products.

We have apparatus, machineries and other necessary tools placed in a specified order. Besides, our love for nature is prominent, hence being eco-friendly is our habit. The set thus promotes recycling and minimum wastage.



Porcelain Pavers 2.0

✦ 20MM THICKNESS

With their practical, non-slip surface and incredible strength, 20 mm porcelain slabs have become the ideal laying solution for heavy traffic commercial areas and external applications. 100% frostresistant and suitable for sub-zero temperatures means that these tiles can be used for driveways and walk ways, as well as for swimming pools surrounds and hard landscaping. They are also entirely resistant to stains, mould and moss, meaning their finish will remain as beautiful as the day it was laid.

TECHNICAL FEATURES :



Easy to Install



Resistant to deep scratches



Non-slip (R11) Surface



Frost Resistance



Resistant to chemical products



Resistant to breaking loads



DIY (Easy to Do It Yourself at Home)



Resistant to Blemishes



Fire Resistant



Impact Resistance



Easy to inspect and replace



Resists sudden temp change



Does not absorb water



Easy to Clean



Light-Resistant colors



Moss and Mould Resistant



Resistant to Staining



Salt Resistant



Resistant to Abrasion



Porcelain Pavers 2.0

✦ 20MM THICKNESS

The PORCELAIN PAVERS collection brought forward by company has great strength and durability due to its exceptional thickness which is 20 mm. The porcelain pavers are beautiful and the styles are inspired by the historic Indian heritage. It has various application areas residentially as well as commercially.

APPLICATION AREAS :




Residential



Hotels
& Resorts



Swimming
Pool



Park
& Gazebo



Outdoor
Stairs



Bathroom
& Wellness



School
& College

Kandla Grey Porcelain

✦ 20MM THICKNESS



600x
1200mm



600x
900mm



450x
900mm



600x
600mm



300x
600mm



300x
300mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors

Quartz White Porcelain

✦ 20MM THICKNESS



600x
1200mm



600x
900mm



450x
900mm



600x
600mm



300x
600mm



300x
300mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors

Quartz Crystal Grey

✦ 20MM THICKNESS



600x
1200mm



600x
900mm



450x
900mm



600x
600mm



300x
600mm



300x
300mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors

Raj Green Porcelain

✦ 20MM THICKNESS




600x
1200mm



600x
900mm



450x
900mm



600x
600mm



300x
600mm



300x
300mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors

Statuario Porcelain

✦ 20MM THICKNESS



600x
1200mm



600x
900mm



450x
900mm



600x
600mm



300x
600mm



300x
300mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors

Dome Beige Persia

✦ 20MM THICKNESS




600x
1200mm



600x
900mm



450x
900mm



600x
600mm



300x
600mm



300x
300mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors

Dome Grey Nordic

✦ 20MM THICKNESS



600x
1200mm



600x
900mm



450x
900mm



600x
600mm



300x
600mm



300x
300mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors

EC Grey Porcelain

✦ 20MM THICKNESS



600x
1200mm



600x
900mm



450x
900mm



600x
600mm



300x
600mm



300x
300mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors

HS Beige Porcelain

✦ 20MM THICKNESS



600x
900mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors

Lava Grey Porcelain

✦ 20MM THICKNESS



600x
900mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors

HS Grey Porcelain

✦ 20MM THICKNESS



600x
1200mm



600x
900mm



450x
900mm



600x
600mm



300x
600mm



300x
300mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors

Copper Slate Porcelain

✦ 20MM THICKNESS



600x
1200mm



600x
900mm




450x
900mm



600x
600mm



300x
600mm



300x
300mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance




Highly
Durable



Exteriors

Cross Over Grey


✦ 20MM THICKNESS




600x
1200mm



600x
900mm




450x
900mm



600x
600mm



300x
600mm



300x
300mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors

Cross Over White

✦ 20MM THICKNESS



600x
1200mm



600x
900mm



450x
900mm



600x
600mm



300x
600mm



300x
300mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors

Anthracite Dark

✦ 20MM THICKNESS



600x
1200mm



600x
900mm



450x
900mm



600x
600mm



300x
600mm



300x
300mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance




Highly
Durable



Exteriors

Antracite Lite

✦ 20MM THICKNESS



600x
900mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors

Basalt

✦ 20MM THICKNESS



600x
900mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance




Highly
Durable



Exteriors

Brazilian Slate Porcelain

✦ 20MM THICKNESS



600x
1200mm



600x
900mm



450x
900mm



600x
600mm



300x
600mm



300x
300mm



Tonal
Variation



Anti -
Slip



20mm
Thickness



Eco-
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors